



SOVERN

GROUP

SOFT STONE

Soft stone, *a real stone surface that bends*

Flexible stone panels for interior and exterior walls: a textured mineral surface on a flexible MCM body with a fibreglass mesh backing. 2 to 10 mm thick, bends to a 300 mm diameter, cuts with a knife. Travertine and granite collections, 16 colours.

INTERIOR AND EXTERIOR WALLS | COLOUR BOX PACKING | ISSUED 24 OCT 2026

What soft stone is

A thin, flexible panel with the look and texture of cut stone. The surface is a textured mineral layer; the body is a flexible modified clay material (MCM); the back is a fibreglass mesh. The panel bends around columns and curved walls, is cut to size on site with a knife, and weighs a fraction of stone.

PRODUCT

Flexible stone panel: textured mineral surface, flexible MCM body, fibreglass mesh backing

BENDING

Minimum bending diameter approx. 300 mm

APPLICATION

Interior and exterior wall cladding, including curved surfaces

PACKING

Colour box packing

In this catalogue

Flexible Stone Travertine Panel	PAGES 3 AND 4 · 8 COLOURS
Flexible Stone Panel, granite and textured finishes	PAGES 5 AND 6 · 8 COLOURS
Enquire	PAGE 7

Highlights

- Natural stone look
- Realistic texture
- Lightweight
- Ultra-thin
- Highly flexible
- Easy to cut
- Easy installation
- Crack resistant
- Weather resistant
- Renovation friendly
- Interior and exterior use
- Multiple colours and textures


Flexible Stone Travertine Panel

Lightweight flexible stone surface for interior and exterior walls, with the open pores and layered banding of travertine.



INTERIOR AND EXTERIOR USE	FLEXIBLE	STAIN RESISTANT
EASY TO CUT	LIGHTWEIGHT	IMPACT RESISTANT

Product structure



Colour design




Pure White



Yunshan Gold Travertine



Light Grey Travertine



Cream Beige



Charcoal Grey



Roman White Travertine



Roman Grey Travertine



Platinum Travertine

Specification

PRODUCT TYPE	Flexible stone travertine panel
THICKNESS	2 to 4 mm (0.079 to 0.157 in)
MINIMUM BENDING DIAMETER	Approx. 300 mm
SIZES	1200 x 600 mm (47.2 x 23.6 in) 2400 x 600 mm (94.5 x 23.6 in) 2400 x 1200 mm (94.5 x 47.2 in) 2700 x 600 mm (106.3 x 23.6 in) 2700 x 1200 mm (106.3 x 47.2 in)
PACKING	Colour box packing
APPLICATION	Interior and exterior wall cladding

Flexible Stone Panel


Lightweight flexible stone surface for interior and exterior walls, in granite, split-face and textured finishes.



INTERIOR AND EXTERIOR USE	FLEXIBLE	STAIN RESISTANT
EASY TO CUT	LIGHTWEIGHT	IMPACT RESISTANT

Product structure

- Textured mineral surface
- Flexible MCM body
- Fibreglass mesh backing



Colour design




Granite



Beige



Flat White Sesame Granite



Flat Coffee Grey Granite



Flat Ash Grey Granite



Flat Exotic Granite



Light Grey



Soft Granite

Specification

PRODUCT TYPE	Flexible stone panel
THICKNESS	3 to 10 mm (0.118 to 0.394 in)
MINIMUM BENDING DIAMETER	Approx. 300 mm
SIZES	1200 x 600 mm (47.2 x 23.6 in) 2400 x 600 mm (94.5 x 23.6 in) 2400 x 1200 mm (94.5 x 47.2 in) 3000 x 1200 mm (118.1 x 47.2 in)
PACKING	Colour box packing
APPLICATION	Interior and exterior wall cladding

Ask for a quotation

Send us the panel, colours, sizes and quantities you need and we will confirm availability and send your quotation.

Samples of any colour can be arranged. For a curved wall, tell us the radius and we will confirm the panel thickness to use.


Sovern Group

alex@sovernhouse.co

[+886 970 781 818](tel:+886970781818)

sovernhouse.co

Follow us on LinkedIn: [linkedin.com/company/sovern-group](https://www.linkedin.com/company/sovern-group)



WeChat

SCAN TO ADD ALEX MCCONNELL



WhatsApp

SCAN TO MESSAGE ALEX